

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Bayonne Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	33	16	0	0	33	16
AIDS-CD4 Only	#	#	#	#	92	43
HIV Only	#	#	#	#	87	41
-----	-----	---	-----	---	-----	---
Total	208	100	#	#	212	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	#	#	White, Not Hispanic	#	#	#	#	124	58
5-12	#	#	Black, Not Hispanic	42	20	0	0	42	20
13-19	#	#	Hispanic	#	#	#	#	42	20
20-29	9	4	Other/Unknown	#	#	#	#	#	#
30-39	51	24	-----	-----	---	-----	---	-----	---
40-49	94	44	Total	208	100	#	#	212	100
50+	51	24							
Unk.	0	0							
-----	-----	---							
Total	212	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	42	33	0	0	42	20
Injection drug user (IDU)	42	33	26	33	68	33
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	27	21	22	28	49	24
-----	-----	---	-----	---	-----	---
Total	127	100	79	100	206	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	6	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	6	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Bayonne Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	#	(#)	114	(32)
Other OI w/o PCP	#	(#)	#	(#)	#	(#)	113	(31)
KS Alone	#	(#)	#	(#)	#	(#)	#	(#)
No Disease Listed	132	(37)	40	(32)	0	(.)	#	(#)
Total	354	(100)	231	(67)	7	(100)	361	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	6	2	White, Not Hispanic	251	71	6	86	257	71
5-12	#	#	Black, Not Hispanic	#	#	#	#	49	14
13-19	#	#	Hispanic	52	15	0	0	52	14
20-29	54	15	Other/Unknown	#	#	#	#	#	#
30-39	173	48	-----	-----	---	-----	---	-----	---
40-49	100	28	Total	354	100	7	100	361	100
Over 49	25	7							
Unknown	0	0							
Total	361	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	72	28	0	0	72	20
Injection drug user (IDU)	131	52	44	44	175	50
MSM/IDU	10	4	0	0	10	3
Heterosexual contact	10	4	34	34	44	12
Risk not reported/other***	31	12	21	21	52	15
Total	254	100	99	100	353	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	8	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	8	100

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** # patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Bayonne Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	12	12	100%
1985	9	9	100%
1986	17	17	100%
1987	18	18	100%
1988	15	14	93%
1989	23	22	96%
1990	18	17	94%
1991	26	24	92%
1992	17	15	88%
1993	40	28	70%
1994	34	25	74%
1995	25	15	60%
1996	29	6	21%
1997	13	#	#
1998	11	#	#
1999	14	#	#
2000	8	#	#
2001	6	#	#
2002	13	#	#
2003	11	#	#
2004	#	#	#
-----	-----	-----	-----
Total	361	236	65%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Bayonne Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	#	#	#	#	60	58
5-12	0	0	Black, Not Hispanic	22	22	0	0	22	21
13-19	#	#	Hispanic	19	19	0	0	19	18
20-29	22	21	Other/Unknown	#	#	#	#	#	#
30-39	45	43	-----	-----	---	-----	---	-----	---
40-49	22	21	Total	101	100	#	#	104	100
Over 49	11	11							
Unknown	0	0							
-----	-----	---							
Total	104	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	16	27	0	0	16	16
Injection drug user (IDU)	17	28	16	39	33	33
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	15	25	8	20	23	23
-----	-----	---	-----	---	-----	---
Total	60	100	41	100	101	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Bayonne Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	222	49	7	64	229	49
AIDS-CD4 Only	#	#	#	#	132	28
HIV Only	#	#	#	#	104	22
-----	-----	---	-----	---	-----	---
Total	454	100	11	100	465	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	10	2	White, Not Hispanic	308	68	9	82	317	68
5-12	#	#	Black, Not Hispanic	#	#	#	#	71	15
13-19	#	#	Hispanic	#	#	#	#	71	15
20-29	100	22	Other/Unknown	6	1	0	0	6	1
30-39	214	46	-----	-----	---	-----	---	-----	---
40-49	104	22	Total	454	100	11	100	465	100
Over 49	34	7							
Unknown	0	0							
-----	-----	---							
Total	465	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	88	28	0	0	88	19
Injection drug user (IDU)	148	47	60	43	208	46
MSM/IDU	13	4	0	0	13	3
Heterosexual contact	19	6	51	36	70	15
Risk not reported/other***	46	15	29	21	75	17
-----	-----	---	-----	---	-----	---
Total	314	100	140	100	454	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	6	100	5	100	11	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	6	100	5	100	11	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Bayonne Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	14	12	86%
1985	13	11	85%
1986	18	17	94%
1987	24	21	88%
1988	29	23	79%
1989	38	32	84%
1990	27	22	81%
1991	37	28	76%
1992	39	22	56%
1993	39	23	59%
1994	33	17	52%
1995	30	10	33%
1996	23	6	26%
1997	20	#	#
1998	16	#	#
1999	9	0	0%
2000	13	#	#
2001	13	#	#
2002	16	#	#
2003	13	#	#
2004	#	#	#
-----	-----	-----	-----
Total	465	253	54%